

HQSYN16 - Task #3693

Task # 3672 (Assigned): RA1d - Automatic cleaning of speech corpora

Task # 3690 (Closed): Annotation error detection

Influence of the number of normal examples used for training on detection accuracy

14.01.2016 10:15 - Matoušek Jindřich

Status:	Closed	Start date:	01.02.2016
Priority:	Normal	Due date:	15.03.2016
Assignee:	Matoušek Jindřich	% Done:	100%
Category:		Estimated time:	8.00 hours
Target version:	RA1: Analysis of artifacts in synthetic speech		
Description			
Find out influence of the number of normal examples used for training on detection accuracy			

History

#1 - 21.01.2016 17:29 - Matoušek Jindřich

- Status changed from New to Assigned

- % Done changed from 0 to 30

Script preparation

#2 - 25.01.2016 08:11 - Matoušek Jindřich

- % Done changed from 30 to 40

#3 - 25.01.2016 17:23 - Matoušek Jindřich

- % Done changed from 40 to 50

Experiments with the number of normal examples used in cross validation.

#4 - 25.01.2016 17:25 - Matoušek Jindřich

- % Done changed from 50 to 70

Starting experiments with the number of normal examples used for training of single estimators

#5 - 12.02.2016 14:49 - Matoušek Jindřich

- Status changed from Assigned to Closed

- % Done changed from 70 to 100

Experiments carried out also for voting detector.